

AUTHOR INDEX*

NOTE

Committee and Special Reports are published in rear forms as part of AHA News.
The reports follow text and are continued into rear ad pages.

Indexes to ABSTRACTS, AHA 57th Scientific Sessions, Supplement II.
(October 1984, are included in that issue.

A

Adatepe MH, 672
Adelstein SJ, 522A
Ahmed A, 1-165
Akhtar M, 392
Alderman EL, 242, 1-103
Alfidi RJ, 650
Alker KJ, 513, 734
Allessie MA, 123
Amon KW, 551
Amplatz K, 285
Anderson JL, 606
Antman EM, 479
Arensmann FW, 202
Aronson RS, 318
Asinger RW, 588
Askins JC, 606
Austin MB, 552

B

Baan J, 812
Bacharach SL, 570
Bailey KR, 1004
Bailey L, 303
Bailey WW, 1-38
Baim DS, 1030
Baldwin JC, 1-124
Barbush TJ, 884
Bardy GH, 377
Bartorelli A, 279
Bashore TM, 681
Bass JL, 285, 457
Bassett AL, 1074
Bateman TM, 1-198
Bathen S, 638
Begg FR, 672
Behrendt D, 1-26
Belardinelli L, 1083
Bell WR, 1012
Bendien C, 929
Bennett P, 303
Bergmann SR, 724
Bergsland J, 1-30
Berman DS, 192
Berne RM, 1083
Bernhard A, 202
Berra K, 645
Bessou JP, 1-187
Bhandari AK, 1018
Bical O, 891
Biello D, 552
Bigelow JC, 1-213
Billingham ME, 836, 1-124
Binetti G, 561
Bing OHL, 1-84
Blackburn H, 775
Block M, 209
Block PC, 978
Blondeau P, 1-187
Bloomfield P, 233

Bodenhamer RM, 1-65
Bolling SF, 1-91
Bollinger A, 806
Bolton EL, 18, 917
Bonke IM, 123
Bonow RO, 570
Borgers M, 7
Bossina KK, 929
Bou E, 1004
Bourassa MG, 1-208
Bourezak H, 1-187
Bove AA, 209, 1066
Bowen-Pope D, III-77
Brady F, 717
Branzi A, 561
Brasseur LA, 255
Braunwald E, 734, III-8
Braunwald EB, 824
Brewer HB Jr, 1004
Brinker JA, 367, 1012
Bristow JD, 485
Brohet CR, 255
Brooks HL, 966
Brower RW, 25
Brown BG, 18, 465, 917
Brum JM, 1066
Bugiardini R, 178
Buis B, 812
Buja M, 824
Bulkley BH, 1012, 1-91
Burelli C, 432
Bush CA, 681
Bush HL Jr, 1-11
Buurma AE, 929
Buxton AE, 37, -51
Byrd BF III, 851

C

Caldwell J, 867
Caldwell JH, 1048
Califf RM, 69
Cameron JS, 1074
Campbell CD, 1-138
Campbell FW, 1-118
Campeau L, 1-208
Canino VR, 1-222
Cannon PJ, 523
Capasso JM, 318
Cardinal R, 136
Carmeliet E, 149
Carmichael MJ, 1-5
Carpentier A, 1-165, 1-187
Carpentier S, 1-165
Carson DL, 136
Casale AS, 1-91
Cassidy DM, 37
Cassidy J, 472
Castaneda A, 1-21
Castaneda-Zuniga W, 285, 457
Castellanos A, 538
Cavanaugh AC, 1-75
Cerrina J, 864

Chaitman BR, 1-226
Chapman PD, 445
Charbonnier F, 303
Chassavaud S, 1-187
Chaux A, 1-198
Cheitlin MD, 851
Chelly JE, 1-7
Chen BT, 908
Chierchia S, 178
Child JS, 898
Cho S, 318
Chowdhry I, 43
Chowdry IA, 663
Clampitt M, 650
Clark RE, 570
Clemo HF, 1083
Clyman RI, 695
Cobb FR, 69, 357
Codd JE, 1-130
Cohen CA, 309
Cohen E, 1-7
Cohn LH, 479
Coleman RE, 69, 357
Coles JJ, 1-96
Collen D, 700, 1012
Collins JJ, 479, 331A
Collins SM, 972
Colucci WS, 1030
Compton PG, 708
Conde CA, 538
Conn EH, 86
Connelly C, 506
Connor SL, 76
Connor WE, 76
Cooley DA, 438, 1-5
Cooper MJ, 412
Cooper RS, 903
Coulson JD, 1-47
Coxon R, 271
Crawford ES, 1-7
Crawford MH, 951
Crowley DC, 1-26
Cummings S, III-7
Czer LSC, 1-198

D

Daggett WM, 1-65
Dajee H, 708
d'Allaines C, 1-187
Danielson GK, 1-193
Daughters GT, 1-103
Davis JC, 52
Davis JW, 86
Davis KB, 867
de Bruin HG, 812
De Cesare N, 279
De Landsheere CM, 717
Deanfield JE, 717
DeBoer LWV, 1-65
DeBusk RF, 645
DeJong D, 506
deLeon VH, 1-21

AUTHOR INDEX

Deloche A, 1-187
Denker S, 392
Derby G, 1-103
DeRobertis MA, 1-198
Derwael C, 255
DeSanctis RW, 331A
DeWeese JE, 1-1
Deykin D, 1-11
Dizmond GA, 192
DiCarlo L, 52
Dick M, 1-26
DiMarco JP, 1083
DiSessa TG, 898
Distant A, 170
Dodge HT, 18, 465, 917, 331A
Doherty JU, 451
Donaldson RM, 1-178
Doyle JT, 153A
Doyle TP, 445
Dreifus LS 748, 331A
Dresden CA, 264
Dreyfus M, 864
Drivenes A, 638
Drop LJ, 1-65
Durox P, 864

E

Ebert PA, 1-16
Edie RN, 1-118
Edwards WD, 339, 580
Ehsani A, 552
El-Sherif N, 43
Elsperger J, 588
Elveback L, 345
Enderlein MA, 412
Enjalbert M, 1-208
Epstein CS, 506
Epstein SE, 570
Estes D, 538
Evans-Bell T, 1024
Executive Committee of the Percutaneous Cardiac Mapping and Ablation Registry, 1024

F

Fabiani JN, 1-187
Factor SM, 318
Faggiotto A, III-77
Falcone RA, 264, 632, 957
Fallon JT, 700
Farber SH, 942
Farmer DW, 851
Farrar DJ, 708
Faxon DP, 788
Fein FS, 318
Feinstein AR, 767
Feneley MP, 226
Ferguson D, 303
Ferguson JC, 1-226
Fermont L, 891
Fesler R, 255
Fifer MA, 1030
Fisch C, 331A
Fishbein MC, 165
Fisher LD, 1-226
Fishman AP, III-83
Fitzgerald DJ, 297
FitzGerald GA, 297

Fitzgerald PJ, 242
Flameng W, 7
Fleisher LN, 843
Fletcher BD, 650
Foale RA, 102, 113
Fonger JD, 708
Force T, 233
Foster E, 506
Fowler MB, 1-103
Fox KAA, 724
Franciosa JA, 63
Franklin A, 1-84
Franklin TD Jr, 102, 113
Franz MR, 799
Franzeck UK, 806
Freedman RA, 1-124
Freedman SB, 178
French JW, 1-47
Friedman PL, 479
Friedman WF, 898
Froland GS, 638
Frye RL, 580, 331A
Fryer AD, 1-47
Fuhrman BP, 285, 457
Fuster V, 580
Fye WB, 781

G

Gallagher JJ, 377
Galli C, 279
Galli M, 170
Gallino A, 619
Gardner TJ, 1-91
Gay TC, 672
Geffin GA, 1-65
Gerding AM, 929
German LD, 377
Gersh BI, 580
Gersh BJ, 1-193
Gerstenblith G, 367
Gettes LS, 331A
Gibbons EF, 102
Gillam LD, 102, 113
Gillette PC, 331A
Gillis AM, 1-124
Gilmour RF Jr, 495
Glaeser DH, 942
Glynn MA, 479¹
Gold HK, 700, 824, 1012
Golinko RJ, 903
Gomes JAC, 43, 663
Gomez F, 1-187
Gordon EP, 242
Gotto AM Jr, III-88
Gousseff N, 1-165
Graboyes TB, 184
Gray RJ, 1-198
Green MV, 570
Green RM, 1-1
Gregg RE, 1004
Grondin CM, 1-208
Gross CM, 445
Gross RW, 160
Grossbard E, 700
Grossbard EB, 1012
Grossman BA, 843
Grossman W, 1030
Guazzi MD, 279
Guerrero JL, 700
Gunnar RM, 58
Gupta MP, 876

Gutgesell HP, 417, 438
Gutierrez N, 1-169
Guyer DE, 113

H

Haas GS, 1-65
Haberl R, 760
Hackel DB, 824
Hagan AD, 606
Hale SL, 734
Hall DG, 1-38
Hamburg C, 472
Hamilton K, 1057
Hannan SF, 271
Hariman RI, 43, 663
Harken A, 957
Harken AH, 624, 632, 1-118
Harms D, 202
Harp GD, 1048
Hartwell TD, 824
Haskell WL, 645
Hattori R, 599
Hattori S, 742
Haugland JM, 588
Hazan E, 891
Hearse DJ, 1-54
Heintzen PH, 202
Heller GV, 1030
Henkin RE, 58
Henry H, 76
Heymann MA, 695
Hickie JB, 226
Higginbotham MB, 69, 357
Higgins CB, 851
Hilli JD, 708
Hiraku S, 599
Hirota Y, 793
Hodges M, 588
Hoeg JM, 1004
Hoffman JIE, 153
Hogan RD, 102, 113
Hollen J, 123
Holman BL, 522A
Hong SL, 1-11
Hossack KF, 465
Hougen TJ, 1-21
Hoyng CF, 700
Hoyt R, 303
Huch A, 806
Huch R, 806
Huff DS, 935
Huffines FD, 417
Hugenholtz PG, 25
Huhta JC, 417, 438
Hutter AM Jr, 1012
Hypertension Detection and Follow-up Program Cooperative Research Group, 996

I

Ideker RE, 824
Iinuma H, 748
Ikäheimo MJ, 350
Inagaki Y, 217
Inagawa T, 599
Ingels NB, 1-103
Ingwall J, 734
Isaacs GH, 672
Iturbe I, 1-169

J

Jacobs D, 775
 Jacobstein MD, 650
 Jaffe AS, 824
 Jaishankar S, 876
 Jakob H, I-138
 Jakubowski JA, I-11
 Jamieson SW, I-153
 Jarreau MM, 891
 Jenkins CD, 153A
 Jesse MJ, III-5
 Jones M, 570
 Jordan JJ, 547
 Jordan RA, 63
 Josa M, 233
 Josephson ME, 37, 264, 451, 529, 624, 632, 957, I-118

K

Kallies JR, I-222
 Kang PS, 43
 Kannel WB, 331, 153A
 Kanovsky MS, 264
 Karam J, 891
 Karlberg H, I-7
 Kawabori I, I-38
 Kawaguchi A, I-30
 Kawai C, 599
 Kawamura K, 793
 Kawashima S, 908
 Kayama N, 599
 Kearney DL, 438
 Keelan MH Jr, 966
 Keenan EJ, 76
 Kellett MA, 788
 Kelly K, 303
 Kemper AJ, 309
 Kennedy JW, 867
 Kerber RE, 303
 Keren A, 836, I-124
 Kernstein KH, 86
 Kessler KM, 472, 538
 Khaw BA, 700, 1012
 Khuri SF, 233, I-75
 Kienzie MG, 624, 957
 Kimura S, 1074
 King RM, I-193
 Kino M, 793
 Kissane B, 472
 Kjekshus JK, 638
 Klein GJ, 402
 Kloner RA, 513, 734, I-75
 Klopfenstein HS, 966
 Koivisto P, 290
 Kolibash AJ, 884
 Kono A, 1057
 Koops J, 812
 Kouba C, 303
 Kozlovskis P, 472
 Kozlovskis PL, 538, 1074
 Krause AH, I-213
 Krayenbuehl HP, I-147
 Kübler W, 923
 Kuipers JRG, 929
 Kuller L, 153A
 Kuo LC, 425

L

L'Abbatte A, 170
 Ladley HD, 485
 Laks H, 898
 Lamberti JJ, 339
 Lammers WJEP, 123
 Lampert S, 184
 Landmark K, 638
 Landsman MLJ, 929
 Lane G, 1066
 Lang P, I-21
 Lange PE, 202
 Lange R, 734, I-75
 LaRaia PJ, I-84
 Latson LA, 417, 438
 Leca F, 891
 Lecompte Y, 891
 Leddy CL, 63
 Lee AB, 18
 Lee KL, 1
 Lee MML, 843
 Lehmann MH, 392
 Leier CV, 681, 884
 Leimgruber PP, 966
 Leinbach RC, 700, 1012
 Lenfant C, III-1
 Lespérance J, I-208
 Lestuzzi C, 432
 Lewi P, 7
 Lewis JF, 425
 Liang C, 908
 Lie JT, 345
 Limacher MC, 425
 Lock JE, 285, 457
 Lolli C, 561
 Low R, 303
 Lown B, 184
 Lowry NJ, I-96
 Lucas RV Jr, 457
 Luceri RM, 538
 Ludbrook PA, 1012
 Lüderitz B, 760
 Lutz JR, 606
 Lyons J, 43

M

Maekawa K, 908
 Magnani B, 561
 Magorien RD, 884
 Magovern GJ Jr, I-91
 Maher MB, 1004
 Mahler F, 619
 Mahmud R, 392
 Mahony L, 695
 Maier GW, 86
 Mall G, 923
 Mansfield PB, I-38
 Manthey J, 923
 Marcella JJ, 843
 Marchlinski FE, 37, 451
 Marcus NH, 632
 Markham J, 724
 Maron BJ, 570, 984
 Marshall HW, 606
 Marshall WH, I-47
 Marston W, I-75
 Martins J, 303
 Marx GR, I-21
 Marzullo P, 170

Maseri A, 178
 Mason J, 1018
 Mason JW, I-124
 Masuda Y, 217
 Matloff JM, I-198
 Maughan WL, 1057
 May AG, I-1
 Mazgalev T, 748
 McCabe CH, I-226
 McCabe M, I-11
 McCarthy EA, 1
 McElvany KD, 724
 McGoan MD, 580
 McHenry PL, 547
 McIntosh CL, 570
 McKay RG, 1030
 McKinnis RA, 69
 McSweeney SM, 788
 Medina N, 1038
 Meij S, 25
 Mellits ED, 367
 Menlove RL, 606
 Merjavy JP, I-130
 Michelson EL, 748
 Miettinen TA, 290
 Mikat EM, 824
 Mikell FL, 588
 MILIS Study Group, 824
 Miller DC, I-47, I-103, I-153
 Miller GAH, 799
 Miller J, 957
 Miller JM, 624
 Miller LL, I-130
 Miller NH, 645
 Miller-Green B, 318
 Mitchell RS, I-103, I-153
 Miyazaki T, 742
 Monrad ES, 1030
 Mook GA, 929
 Morady F, 52, 1018
 Mori H, 742
 Morooka N, 217
 Morris DD, 192
 Morris KG, 357
 Morris SN, 547
 Moskowitz J, III-1
 Motulsky AG, III-26
 Muller JE, 824
 Murphy J, 271
 Musset D, 864
 Myerburg RJ, 538, 1074
 Myerburg RM, 472

N

Nabseth DC, I-11
 Nachbur B, 619
 Nagao H, 793
 Nagata M, 742
 Naito J, 599
 Nakajima H, 599
 Nakamura Y, 742
 Nashef A, I-165
 Neglia D, 170
 Nelson AD, 650
 Nelson JG, 425
 Neufeld HN, 339
 Neveux JY, 891
 Newell J, 102
 Newell JB, 113, 700
 Nichols AB, 843
 Nichols K, 672

AUTHOR INDEX

Nicolosi GL, 432
Niemelä KO, 350
Noble MIM, 799
Nordin C, 318
Norwood WI, I-21
Nyilaan LA, 942

O

O'Boyle JE, 233, 309
O'Connell JB, 58
O'Donnell J, 547
Oesterle SN, I-103
Ogawa S, 742
O'Keefe DD, I-65
Okies JE, I-213
Olsen CO, 86
Olshansky B, 972
Orszulak TA, I-193
Osaki L, 851
Ostfeld AM, 153A
Ouyang P, 367
Overskeid K, 638
Owen J, 843
Oyer PE, I-153

P

Packer DL, 377
Packer M, 1038
Pagé P, 136
Page US, I-213
Palatsi JJ, 350
Pantely GA, 485
Parisi AF, 233, 309
Parker CB, 824
Parodi O, 170
Parsonnet V, 331A
Pasch AR, I-1
Pasque MK, I-112
Paton BC, 337
Pavan D, 432
Pearce JM, I-96
Pedersen TR, 638
Pefkaros KC, 472
Pellom GL, I-112
Pennington DG, I-130
Penta A, I-182
Perier P, I-187
Perloff JK, 898
Perry JB, 136
Petitpretz P, 864
Peyton RB, I-112
Pick R, I-138
Pidgion J, 799
Piehler JM, I-193
Pikus AM, 1004
Piovaccari G, 561
Pitlick PT, I-47
Pittman DE, 672
Pluth JR, I-193
Podell RN, 153A
Poliner LR, 942
Poll DS, 451
Popp RL, 242, 657, 836
Powell OM, 672
Prasad NV, 972
Pritchett ELC, I
Probst P, 619
Puga FJ, I-193

Q

Qiu ZK, I-138
Quinones MA, 425
Qureshi S, I-182

R

Raabe DS, 824
Radley-Smith R, 202, I-182
Raichlen JS, 935, I-118
Raines E, III-77
Rand AL, 724
Rankin JS, 86
Rapezzi C, 561
Rashkind WJ, 457
Ratnoff OD, III-72
Reagan R, III-7
Redwood D, 799
Reeves TJ, 331A
Reichek N, 935
Reimer KA, 824
Reis DJ, III-31
Relland J, I-187
Replogle RL, I-138
Richards KL, 951
Ricotta JJ, I-1
Riemenscineider TA, 650
Ritchie JL, 867, 1048
Ritman EL, 209
Rittenhouse EA, I-38
Ritter SB, 903
Robert A, 255
Roberts R, 824, 942
Robertson RM, 297
Robinson JA, 58
Robison AK, 160, 1012
Rocchini AP, I-26
Rodriguez-Plaza L, 178
Rokseth R, 638
Rosenthal A, I-26
Rosing DR, 570, 984
Rosner B, 533
Ross DM, I-178
Ross R, III-77
Rossant P, I-187
Rothlin M, I-147
Rovai D, 170
Roy L, 297
Royal HD, 1030
Rozanski A, 192
Rude RE, 824
Ryan JW, III-46
Ryan TJ, 788, I-226
Ryan US, III-46

S

Sabiston DC Jr, 86
Sagawa K, 1057
Sakurai K, 742
Salazar E, I-169
Salomon NW, I-213
Salvioni A, 279
Sanfilippo D, I-222
Savard P, 136
Scanlon PJ, 58
Schaefer J, 799

Schaff HV, I-193
Schall SF, 681
Scheinman MM, 52, 1018, 1024
Scheurle H, 923
Schmahl TM, I-222
Schmitzer E, 923
Schneeweiss A, 339
Schnittger I, 242
Schoettler M, 799
Schuchard GH, 966
Schultz J, 552
Schuurbiers JCH, 25
Schwarz F, 923
Seals DR, 552
Seed WA, 799
Selwyn AP, 717
Senden J, 812
Sergeant P, 7
Serruys PW, 25
Sethi KK, 876
Sexton G, 76
Shaffer PB, 681
Shah PK, 165
Sharma AD, 402
Sharpe DN, 271
Shattock MJ, I-54
Shea MJ, 717
Sheffield LT, I-226
Shem-Tov A, 339
Shemin RJ, 479
Shenag SA, I-7
Shryock J, 1083
Shumway NE, I-47, I-153
Sidi D, 891
Siegel RJ, 165
Sievers HH, 202
Silverman NH, 412, 851
Simonneau G, 864
Simson MB, 264, 632, I-124
Singh S, 966
Sirnes KE, 638
Sirnes PA, 638
Skorton DJ, 972
Slager C, 25
Sloan H, I-26
Smeenk GJ, 812
Smith G, 178
Smith MS, I
Sobel BE, 160, 724, 824, 1012
Soni J, 392
Sonnenblick EH, 318
Sorensen SG, 606
Spadaro JJ, 1012
Sparrow D, 533
Specchia S, 561
Spicer RL, I-26
Spirito P, 984
Spray TL, I-112
Sprecher DL, 1004
St John Sutton MG, 935
Stamler J, 153A
Stamm SJ, I-38
Steele PM, 580
Steinbeck G, 760
Stevenson JG, I-38
Stewart DJ, I-96
Stewart DK, 465
Stewart ME, I-198
Stewart WJ, 788, 978
Stijns M, 255
Stine RA, 681
Stinson EB, I-103, I-124, I-153
Stone PH, 824
Stoughton J, I-84
Stratton JR, 1048

Subramanian R, 58
 Subramanian S, 1-30
 Sufan Q, 1066
 Sunagawa K, 1057
 Sunday A, 638
 Susser JK, 1004
 Suwa M, 793
 Suy R, 7
 Svinarich J, 1018
 Swan HJC, 192
 Swartz MT, 1-130

T

Takahashi M, 742
 Takahashi N, 495
 Takatsu Y, 599
 Takkunen JT, 350
 Tamborini G, 279
 Taylor A, 309
 Taylor MJ, 1-96
 Tector AJ, 1-222
 Teitel DF, 412
 Temmerman D, 812
 Teplick RS, 1-65
 Thom TJ, 331
 Thone F, 7
 Tiefenbrunn AJ, 1012
 Tift CP, 533
 Topol EJ, 1012
 Torjussen BR, 638
 Tramontana C, 279
 Tristani F, 1-226
 Troup PJ, 445
 Trusler GA, 1-96
 Tsubojima M, 599
 Tsui A, 908
 Turina J, 1-147
 Turina M, 1-147
 Turley K, 1-16
 Turton D, 717
 Tyson GS Jr, 86

U

Untereker WJ, 37
 Unverferth DV, 884
 Uzark K, 1-26

V

van den Brand M, 25
 van der Velde ET, 812
 van Dijk AD, 812
 Van Trigt P, 1-112
 Vandenbroek M-D, 864
 Vassallo JA, 37
 Verani MS, 942
 Viet TT, 891
 Vislosky FM, 700
 Vliers A, 255
 Vuori JJ, 350

W

Wagner HN Jr, 522A
 Wakabayashi A, 599
 Waldman JD, 339
 Walker JM, 799
 Wallace AG, 69
 Wanless R, 799
 Wann LS, 445, 966
 Warth DC, 978
 Watanabe S, 217
 Waxman HL, 451
 Wechsler AS, 1-112
 Weinberg SL, 331A
 Weiner DA, 1-226
 Weintraub RM, 1-84
 Weisfeldt ML, 367, 1012, 1057
 Weiss ST, 533
 Weksler BB, III-63
 Welch MJ, 724
 West GA, 1083
 Westlund KM, 638
 Weyman AE, 102, 113, 978
 White HD, 479
 Wijns W, 25
 Wik BA, 638
 Wilen MM, 63
 Williams DL, 867, 1048
 Williams GA, 1-130
 Williams RG, 898
 Williams RS, 69

Williams WG, 1-96
 Wilson RA, 717
 Winkle R, 1018
 Winston S, 52
 Wiske PS, 102
 Wit AL, 529
 Wouters L, 7
 Wu L, 898
 Wyngaarden JB, III-5

Y

Yacoub MH, 202, 1-182
 Yamamoto F, 1-54
 Yanowitz FG, 606
 Yasuda I, 1012
 Yasuda T, 700
 Yee ES, 1-16
 Yee R, 402
 Yock PG, 657
 Yoshida H, 217
 Young DZ, 184
 Yui Y, 599
 Yushak M, 1038

Z

Zajarias A, 1-169
 Zaman L, 538
 Zannoli R, 561
 Zanuttini D, 432
 Zardo F, 432
 Zaret BL, 522A
 Zebe H, 923
 Zech LA, 1004
 Zierler M, 1-75
 Zijlstra WG, 929
 Zipes DP, 495

SUBJECT INDEX*

A

α -Adrenergic stimulation

Delayed afterdepolarizations and triggered activity induced in feline Purkinje fibers by α -adrenergic stimulation in the presence of elevated calcium levels, 1074

Abdominal aortic aneurysm

Abdominal aortic aneurysm, I-5

Abdominal aortic aneurysm: the case for elective resection, I-1

Aberrant bands

Echocardiographic recognition and implications of ventricular hypertrophic trabeculations and aberrant bands, 836

Acetylcholine

Intra-atrial reentry as a mechanism for atrial flutter induced by acetylcholine and rapid pacing in the dog, 123

Adenine

Effects of adenosine and adenine nucleotides on the atrioventricular node of isolated guinea pig hearts, 1083

Adenosine

Effects of adenosine and adenine nucleotides on the atrioventricular node of isolated guinea pig hearts, 1083

Ajmaline

Salutary effects of intravenous ajmaline in patients with paroxysmal supraventricular tachycardia mediated by dual atrioventricular nodal pathways: blockade of the retrograde fast pathway, 876

Alveolar-capillary barrier

Heart, lungs, and blood as an integrated system: the alveolar-capillary barrier and the cardiorespiratory apparatus, III-83

Amrinone

Hemodynamic and clinical limitations of long-term inotropic therapy with amrinone in patients with severe chronic heart failure, 1038

Amyloid heart disease

Prospective identification of amyloid heart disease by two-dimensional echocardiography, 432

Angina

The abnormal exercise electrocardiogram in apparently healthy men: a predictor of angina pectoris as an initial coronary event during long-term follow-up, 547

Variables predictive of successful medical therapy in patients with unstable angina: selection by multivariate analysis from clinical, electrocardiographic, and angiographic evaluations, 367

Angiography

Noninvasive prediction of the angiographic extent of coronary artery disease after myocardial infarction: comparison of clinical, bicycle exercise electrocardiographic, and ventriculographic parameters, 192

Angioplasty

Balloon dilatation angioplasty: nonsurgical management of coarctation of the aorta, 903

Dilation angioplasty of congenital or operative narrowings of venous channels, 457

Left ventricular performance, regional blood flow, wall motion, and lactate metabolism during percutaneous transluminal coronary angioplasty, 25

Percutaneous transluminal angioplasty of the arteries of the lower limbs: a 5 year follow-up, 619

Antiarrhythmic drugs

Dynamic variability of binding of antiarrhythmic drugs during the evolution of acute myocardial infarction, 472

Sustained ventricular tachycardia in patients with idiopathic dilated cardiomyopathy: electrophysiologic testing and lack of response to antiarrhythmic drug therapy, 451

Anticoagulants

Primary pulmonary hypertension: natural history and the importance of thrombosis, 580

Anticoagulation

The problem of cardiac valve prostheses, anticoagulants, and pregnancy, I-169

Aortic disease

Balloon dilatation angioplasty: nonsurgical management of coarctation of the aorta, 903

Aortic dissection

Independent determinants of operative mortality for patients with aortic dissections, I-153

Aortic regurgitation

Echocardiographic evaluation of the response to afterload stress test in young asymptomatic patients with chronic severe aortic regurgitation: sensitivity of the left ventricular end-systolic pressure-volume relationship, 561

Improved late survival in patients with chronic aortic regurgitation by earlier operation, I-147

Reversal of left ventricular dysfunction after aortic valve replacement for chronic aortic regurgitation: influence of duration of preoperative left ventricular dysfunction, 570

Aortic root homograft

Homograft aortic root replacement for complicated prosthetic valve endocarditis, I-178

Aortic stenosis

A new method to calculate aortic valve area without left heart catheterization, 978

Aortic valve homograft

Patient status 10 or more years after 'fresh' homograft replacement of the aortic valve, I-182

Aortic valve replacement

Reversal of left ventricular dysfunction after aortic valve replacement for chronic aortic regurgitation: influence of duration of preoperative left ventricular dysfunction, 570

Aortic valve stenosis

Echocardiography in the diagnosis and management of symptomatic aortic valve stenosis in infants, 438

Apical window

Pulsed Doppler echocardiographic determination of stroke volume and cardiac output: clinical validation of two new methods using the apical window, 425

Arachidonic acid

Eicosanoids and the blood vessel wall, 523

Arrhythmia

Catheter ablation of the atrioventricular junction: a report of the Percutaneous Mapping and Ablation Registry, 1024

Dynamic variability of binding of antiarrhythmic drugs during the evolution of acute myocardial infarction, 472

Efficacy of left cardiac sympathectomy in the treatment of patients with the long QT syndrome, 1018

Incidence of the coexistence of left ventricular false tendons and premature ventricular contractions in apparently healthy subjects, 793

Intra-atrial reentry as a mechanism for atrial flutter induced by acetylcholine and rapid pacing in the dog, 123

The noninvasive localization of ventricular pacing sites by radionuclide phase imaging, 681

Programmed electrical stimulation in patients with high-grade ventricular ectopy: electrophysiologic findings and prognosis for survival, 43

Retrograde concealed conduction in the atrioventricular node: differential manifestations related to level of intranodal penetration, 392

Safety of maximal exercise testing in patients at high risk for ventricular arrhythmia, 184

Salutary effects of intravenous ajmaline in patients with paroxysmal supraventricular tachycardia mediated by dual atrioventricular nodal pathways: blockade of the retrograde fast pathway, 876

Atherosclerosis

Directions of atherosclerosis research in the 1980s and 1990s, III-88

Optimal resources for primary prevention of atherosclerotic diseases, 153A

The role of endothelial injury and platelet and macrophage interactions in atherosclerosis, III-77

Atrial fibrillation

Catheter ablation of the atrioventricular junction: a report of the Percutaneous Mapping and Ablation Registry, 1024

Atrial pacing

Stress echocardiography with transesophageal atrial pacing: preliminary report of a new method for detection of ischemic wall motion abnormalities, 445

Atrioventricular node

Effects of adenosine and adenine nucleotides on the atrioventricular node of isolated guinea pig hearts, 1083

*Roman numbers indicate articles published in supplements.

- Effects of the site and timing of atrioventricular nodal input on atrioventricular conduction in the isolated perfused rabbit heart, 748
Salutary effects of intravenous ajmaline in patients with paroxysmal supraventricular tachycardia mediated by dual atrioventricular nodal pathways: blockade of the retrograde fast pathway, 876

B

 β -Adrenergic blockade

- Efficacy and safety of timolol for prevention of supraventricular tachyarrhythmias after coronary artery bypass surgery, 479

Bioprostheses

- Techniques for prevention of calcification of valvular bioprostheses, 1-165

Blood flow

- Dobutamine and dopamine after cardiac surgery: greater augmentation of myocardial blood flow with dobutamine, 1-103
Low zero-flow pressure and minimal capacitance effect on diastolic pressure-flow relationships during maximum vasodilation in swine, 485
Maximal coronary flow and the concept of coronary vascular reserve, 153
Quantification of regional myocardial blood flow in vivo with $H_2^{15}O$, 724
Quantitation of size of relative myocardial perfusion defect by single-photon emission computed tomography, 1048
Validation of quantitation of regional myocardial blood flow in vivo with ^{11}C -labeled human albumin microspheres and positron emission tomography, 717

Blood pressure

- Usefulness of the postexercise response of systolic blood pressure in the diagnosis of coronary artery disease, 951

Bloodless surgery

- Total bloodless open heart surgery in the pediatric age group, 1-30

Brain

- The brain and hypertension: reflections on 35 years of inquiry into the neurobiology of the circulation, III-31

C

Calcification

- Techniques for prevention of calcification of valvular bioprostheses, 1-165

Calcium antagonists

- Beneficial effects of nifedipine on rest and exercise myocardial energetics in patients with congestive heart failure, 884
Calcium antagonists and hypothermia: the temperature dependency of the negative inotropic and anti-ischemic properties of verapamil in the isolated rat heart, 1-54
Calcium-channel blockade with nifedipine and angiotensin converting-enzyme inhibition with captopril in the therapy of patients with severe primary hypertension, 279
Diltiazem-induced blockade of sympathetically mediated constriction of normal and diseased arteries: lack of epicardial coronary dilatory effect in humans, 465
Evolution of infarct size during the early use of nifedipine in patients with acute myocardial infarction: The Norwegian Nifedipine Multicenter Trial, 638
Preservation of high-energy phosphates by verapamil in reperfused myocardium, 734
Protection of hypoxic myocardium by intracoronary administration of verapamil in open-chest dogs, 742

Captopril

- Calcium-channel blockade with nifedipine and angiotensin converting-enzyme inhibition with captopril in the therapy of patients with severe primary hypertension, 279

Cardiac arrest

- Long-term survival after prehospital cardiac arrest: analysis of outcome during an 8 year study, 538

Cardiac catheterization

- Effect of heparin bonding on catheter-induced fibrin formation and platelet activation, 843

- Increased risk of severe protamine reactions in NPH insulin-dependent diabetics undergoing cardiac catheterization, 788

Cardiac output

- Pulsed Doppler echocardiographic determination of stroke volume and cardiac output: clinical validation of two new methods using the apical window, 425

Cardiac pacemaker

- Guidelines for permanent cardiac pacemaker implantation, May 1984, 331A

Cardiac surgery

- Doing and thinking: a view from the operating room, 337

Cardiac tamponade

- Right ventricular and right atrial collapse in patients with cardiac tamponade—a combined echocardiographic and hemodynamic study, 966

Cardiogenic shock

- Extracorporeal membrane oxygenation for patients with cardiogenic shock, 1-130

Cardiomyopathy

- Combined renovascular hypertension and diabetes in rats: a new preparation of congestive cardiomyopathy, 318
Determinants of survival in patients with congestive cardiomyopathy: quantitative morphologic findings and left ventricular hemodynamics, 923
Gallium-67 imaging in patients with dilated cardiomyopathy and biopsy-proven myocarditis, 58
Idiopathic restrictive cardiomyopathy, 165
Morphologic determinants of hemodynamic state after ventricular septal myotomy-myectomy in patients with obstructive hypertrophic cardiomyopathy: M mode and two-dimensional echocardiographic assessment, 984
Relationships between beat-to-beat interval and the strength of contraction in the healthy and diseased human heart, 799

Cardioplegia

- Mechanism of myocardial protection during blood and potassium cardioplegia: a comparison of crystalloid red cell and methemoglobin solutions, 1-84

- The relative importance of alkalinity, temperature, and the washout effect of bicarbonate-buffered, multidosed cardioplegic solution, 1-75

Cardiopulmonary resuscitation

- The physiology of external cardiac massage: high-impulse cardiopulmonary resuscitation, 86

Cardiorespiratory system

- Heart, lungs, and blood as an integrated system: the alveolar capillary barrier and the cardiorespiratory apparatus, III-83

Cardiovascular research

- The 'new genetics' in blood and cardiovascular research: applications to prevention and treatment, III-26
Thirty-five years of progress in cardiovascular research, III-8

Cardioversion

- Advance prediction of transthoracic impedance in human defibrillation and cardioversion: importance of impedance in determining the success of low-energy shocks, 303

Catheter ablation

- Catheter ablation of the atrioventricular junction: a report of the Percutaneous Mapping and Ablation Registry, 1024

Circulation

- Sex-related differences in the normal cardiac response to upright exercise, 357

Circulatory arrest

- Cerebral monitoring of somatosensory evoked potentials during profoundly hypothermic circulatory arrest, 1-96

Coarctation

- Balloon dilatation angioplasty: nonsurgical management of coarctation of the aorta, 903

Concealed conduction

- Concealed conduction in accessory atrioventricular pathways: an important determinant of the expression of arrhythmias in patients with Wolff-Parkinson-White syndrome, 402
Retrograde concealed conduction in the atrioventricular node: differential manifestations related to level of intranodal penetration, 392

Conductance catheter

Continuous measurement of left ventricular volume in animals and humans by conductance catheter, 812

Congenital heart disease

Anatomic correction of transposition of the great arteries associated with ventricular septal defect: midterm results in 50 patients, 891

Balloon dilatation angioplasty: nonsurgical management of coarctation of the aorta, 903

Coil embolization of congenital thoracic vascular anomalies in infants and children, 285

Decreased contractility of the ductus arteriosus in experimental pulmonary stenosis, 695

Dilation angioplasty of congenital or operative narrowings of venous channels, 457

Echocardiography in the diagnosis and management of symptomatic aortic valve stenosis in infants, 438

Hemodynamic effects of dynamic exercise in children and adolescents with moderate-to-small ventricular septal defects, 929

Influence of two-stage correction on size and distensibility of the anatomic pulmonary/functional aortic root in patients with simple transposition of the great arteries, 202

Magnetic resonance imaging: evaluation of palliative systemic-pulmonary artery shunts, 650

Magnetic resonance imaging in patients with congenital heart disease, 851

The obstructive subaortic conus, 339

Quantitative assessment of right and left ventricular growth in the human fetal heart: a pathoanatomic study, 935

Study of the infradiaphragmatic total anomalous pulmonary venous connection with cross-sectional and pulsed Doppler echocardiography, 412

Systemic venous and pulmonary arterial flow patterns after Fontan's procedure for tricuspid atresia or single ventricle, 898

The total repair of interrupted arch complex in infants: the anterior approach, 1-16

Two-dimensional echocardiographic assessment of the aorta in infants and children with congenital heart disease, 417

Congestive heart failure

Beneficial effects of nifedipine on rest and exercise myocardial energetics in patients with congestive heart failure, 884

Combined renovascular hypertension and diabetes in rats: a new preparation of congestive cardiomyopathy, 318

Enalapril in patients with chronic heart failure: a placebo-controlled, randomized, double-blind study, 271

Hemodynamic and clinical limitations of long-term inotropic therapy with amrinone in patients with severe chronic heart failure, 1038

Improvement in indexes of diastolic performance in patients with congestive heart failure treated with milrinone, 1030

Minoxidil in patients with chronic left heart failure: contrasting hemodynamic and clinical effect; in a controlled trial, 63

Contractility

Relationships between beat-to-beat interval and the strength of contraction in the healthy and diseased human heart, 799

Variation of left ventricular myocardial gray level on two-dimensional echocardiograms as a result of cardiac contraction, 972

Coronary arteriography

Coronary angiographic examination with the dynamic spatial reconstructor, 209

Coronary arteriography—it took a long time! 781

Coronary artery bypass

Efficacy and safety of timolol for prevention of supraventricular tachyarrhythmias after coronary artery bypass surgery, 479

Coronary artery disease

The abnormal exercise electrocardiogram in apparently healthy men: a predictor of angina pectoris as an initial coronary event during long-term follow-up, 547

Alteration of diastolic filling rate during exercise radionuclide angiography: a highly sensitive technique for detection of coronary artery disease, 942

Continued high prevalence of coronary artery disease at autopsy in Olmstead County, Minnesota, 1950 to 1979, 345

Diltiazem-induced blockade of sympathetically mediated constriction of normal and diseased arteries: lack of epicardial coronary dilatory effect in humans, 465

The effect of left ventricular systolic function on maximal aerobic exercise capacity in asymptomatic patients with coronary artery disease, 552

Effects of physical conditioning on left ventricular ejection fraction in patients with coronary artery disease, 69

Hydrogen peroxide contrast echocardiography: quantification in vivo of myocardial risk area during coronary occlusion and of the necrotic area remaining after myocardial reperfusion, 309

Left ventricular performance, regional blood flow, wall motion, and lactate metabolism during percutaneous transluminal coronary angioplasty, 25

Mitral valve replacement: impact of coronary artery disease and determinants of prognosis after revascularization, 1-198

Multivariate analysis of angiographic, histologic, and electrocardiographic data in patients with coronary heart disease, 7

Noninvasive prediction of the angiographic extent of coronary artery disease after myocardial infarction: comparison of clinical, bicycle exercise electrocardiographic, and ventriculographic parameters, 192

Reflex constriction of significant coronary stenosis as a mechanism contributing to ischemic left ventricular dysfunction during isometric exercise, 18

Stress echocardiography with transesophageal atrial pacing: preliminary report of a new method for detection of ischemic wall motion abnormalities, 445

Usefulness of the postexercise response of systolic blood pressure in the diagnosis of coronary artery disease, 951

Coronary bypass

The comparative effects of dopamine and dobutamine on ventricular mechanics after coronary artery bypass grafting: a pressure-dimension analysis, 1-112

The value of preoperative exercise testing in predicting long-term survival in patients undergoing aortocoronary bypass surgery, 1-226

Coronary vascular reserve

Maximal coronary flow and the concept of coronary vascular reserve, 153

Creatine kinase

Comparison of enzymatic and anatomic estimates of myocardial infarct size in man, 824

Cyclosporine

Heart transplant rejection monitored by signal-averaged electrocardiography in patients receiving cyclosporine, 1-124

D

Defibrillation

Advance prediction of transthoracic impedance in human defibrillation and cardioversion: importance of impedance in determining the success of low-energy shocks, 303

Diabetes

Combined renovascular hypertension and diabetes in rats: a new preparation of congestive cardiomyopathy, 318

Increased risk of severe protamine reactions in NPH insulin-dependent diabetics undergoing cardiac catheterization, 788

Diastolic function

Improvement in indexes of diastolic performance in patients with congestive heart failure treated with milrinone, 1030

Diet

Sources of the diet-heart controversy: confusion over population versus individual correlations, 775

Diltiazem

Diltiazem-induced blockade of sympathetically mediated constriction of normal and diseased arteries: lack of epicardial coronary dilatory effect in humans, 465

Dipyridamole

Effects of adenosine and adenine nucleotides on the atrioventricular node of isolated guinea pig hearts, 1083

Dobutamine

The comparative effects of dopamine and dobutamine on ventricular mechanics after coronary artery bypass grafting: a pressure-dimension analysis, 1-112

Dobutamine and dopamine after cardiac surgery: greater augmentation of myocardial blood flow with dobutamine, 1-103

Dopamine

The comparative effects of dopamine and dobutamine on ventricular mechanics after coronary artery bypass grafting: a pressure-dimension analysis, 1-112

Dobutamine and dopamine after cardiac surgery: greater augmentation of myocardial blood flow with dobutamine, 1-103

Ductus arteriosus

Decreased contractility of the ductus arteriosus in experimental pulmonary stenosis, 695

E**Echocardiography**

A comparison of quantitative echocardiographic methods for delineated infarct-induced abnormal wall motion, 113

Computerized quantitative analysis of left ventricular wall motion by two-dimensional echocardiography, 242

Echocardiographic evaluation of the response to afterload stress test in young asymptomatic patients with chronic severe aortic regurgitation: sensitivity of the left ventricular end-systolic pressure-volume relationship, 561

Echocardiographic recognition and implications of ventricular hypertrophic trabeculations and aberrant bands, 836

Echocardiography in the diagnosis and management of symptomatic aortic valve stenosis in infants, 438

Emboic potential of left ventricular thrombi detected by two-dimensional echocardiography, 588

Hydrogen peroxide contrast echocardiography: quantification in vivo of myocardial risk area during coronary occlusion and of the necrotic area remaining after myocardial reperfusion, 309

Importance of temporal heterogeneity in assessing the contraction abnormalities associated with acute myocardial ischemia, 102

Incidence of the coexistence of left ventricular false tendons and premature ventricular contractions in apparently healthy subjects, 793

Morphologic determinants of hemodynamic state after ventricular septal myotomy-myectomy in patients with obstructive hypertrophic cardiomyopathy: M mode and two-dimensional echocardiographic assessment, 984

A new method to calculate aortic valve area without left heart catheterization, 978

Noninvasive estimate of right ventricular systolic pressures by Doppler ultrasound in patients with tricuspid regurgitation, 657

Prospective identification of amyloid heart disease by two-dimensional echocardiography, 432

Pulsed Doppler echocardiographic determination of stroke volume and cardiac output: clinical validation of two new methods using the apical window, 425

Pulsed Doppler echocardiographic evaluation of ventricular septal defect patches, 1-38

Quantitative two-dimensional echocardiographic analysis of regional wall motion in patients with perioperative myocardial infarction, 233

Right ventricular and right atrial collapse in patients with cardiac tamponade—a combined echocardiographic and hemodynamic study, 966

Stress echocardiography with transesophageal atrial pacing: preliminary report of a new method for detection of ischemic wall motion abnormalities, 445

Study of the infradiaphragmatic total anomalous pulmonary venous connection with cross-sectional and pulsed Doppler echocardiography, 412

Two-dimensional echocardiographic assessment of the aorta in infants and children with congenital heart disease, 417

Validity of echocardiographic determination of left ventricular systolic wall thickening, 226

Variation of left ventricular myocardial gray level on two-dimensional echocardiograms as a result of cardiac contraction, 972

Ectopy

Programmed electrical stimulation in patients with high-grade ventricular ectopy: electrophysiologic findings and prognosis for survival, 43

Editorials

Abdominal aortic aneurysm, 1-5

Doing and thinking: a view from the operating room, 337

Fractionated electrical activity and continuous electrical activity: fact or artifact? 529

Sources of the diet-heart controversy: confusion over population versus individual correlations, 775

Thrombolysis, clot selectivity, and kinetics, 160

Eicosanoids

The effects of organic nitrates on prostacyclin biosynthesis and platelet function in humans, 297

Eicosanoids and the blood vessel wall, 523

Electrical activity

Fractionated electrical activity and continuous electrical activity: fact or artifact? 529

Electrocardiography

The effect of antihypertensive drug treatment on mortality in the presence of resting electrocardiographic abnormalities at baseline: the HDFP experience, 996

Heart transplant rejection monitored by signal-averaged electrocardiography in patients receiving cyclosporine, 1-124

Electrophysiology

Comparison between intracellular and extracellular direct current recordings of sinus node activity for evaluation of sinoatrial conduction time, 760

Computer interpretation of pediatric orthogonal electrocardiograms: statistical and deterministic classification methods, 255

Concealed conduction in accessory atrioventricular pathways: an important determinant of the expression of arrhythmias in patients with Wolff-Parkinson-White syndrome, 402

Delayed afterdepolarizations and triggered activity induced in feline Purkinje fibers by α -adrenergic stimulation in the presence of elevated calcium levels, 1074

Effects of the site and timing of atrioventricular nodal input on atrioventricular conduction in the isolated perfused rabbit heart, 748

Endocardial mapping in humans in sinus rhythm with normal left ventricles: activation patterns and characteristics of electrograms, 37

Identification of patients with ventricular tachycardia after myocardial infarction: signal-averaged electrocardiogram, Holter monitoring, and cardiac catheterization, 264

Intra-atrial reentry as a mechanism for atrial flutter induced by acetylcholine and rapid pacing in the dog, 123

Intraoperative endocardial mapping during sinus rhythm: relationship to site of origin of ventricular tachycardia, 957

Mapping of ventricular tachycardia induced by programmed stimulation in canine preparations of myocardial infarction, 136

New application of direct sinus node recordings in man: assessment of sinus node recovery time, 663

Overdrive suppression of conduction in the canine His-Purkinje system after occlusion of the anterior septal artery, 495

Programmed electrical stimulation in patients with high-grade ventricular ectopy: electrophysiologic findings and prognosis for survival, 43

A prospective comparison of triple extrastimuli and left ventricular stimulation in studies of ventricular tachycardia induction, 52

Retrograde concealed conduction in the atrioventricular node: differential manifestations related to level of intranodal penetration, 392

The spontaneous occurrence of paroxysmal supraventricular tachycardia, 1

Sustained ventricular tachycardia in patients with idiopathic dilated cardiomyopathy: electrophysiologic testing and lack of response to antiarrhythmic drug therapy, 451

Embolization

Coil embolization of congenital thoracic vascular anomalies in infants and children, 285

Enalapril

Enalapril in patients with chronic heart failure: a placebo-controlled, randomized, double-blind study, 271

Endocardial mapping

Endocardial mapping in humans in sinus rhythm with normal left ventricles: activation patterns and characteristics of electrograms, 37

- Intraoperative endocardial mapping during sinus rhythm: relationship to site of origin of ventricular tachycardia, 957
- Endocarditis**
Homograft aortic root replacement for complicated prosthetic valve endocarditis, 1-178
- Endothelial injury**
Increased vasoconstrictor activity of proximal coronary arteries with endothelial damage in intact dogs, 1066
The role of endothelial injury and platelet and macrophage interactions in atherosclerosis, III-77
- Energetics**
Beneficial effects of nifedipine on rest and exercise myocardial energetics in patients with congestive heart failure, 884
- Epicardial pacemaker**
The effect of the site of the placement of temporary epicardial pacemakers on ventricular function in cardiac surgery patients, I-118
- Epidemiology**
Continued high prevalence of coronary artery disease at autopsy in Olmstead County, Minnesota, 1950 to 1979, 345
The effects of familial relationships, age, body weight, and diet on blood pressure and the 24 hour urinary excretion of sodium, potassium, and creatinine in men, women, and children of randomly selected families, 76
Postural changes in diastolic blood pressure and the risk of myocardial infarction: The Normative Aging Study, 533
Sources of the diet-heart controversy: confusion over population versus individual correlations, 775
- Ergonovine**
Ergonovine-induced myocardial ischemia: no role for serotonergic receptors? 178
- Evoked potentials**
Cerebral monitoring of somatosensory evoked potentials during profoundly hypothermic circulatory arrest, I-96
- Exercise**
The abnormal exercise electrocardiogram in apparently healthy men: a predictor of angina pectoris as an initial coronary event during long-term follow-up, 547
Alteration of diastolic filling rate during exercise radionuclide angiography: a highly sensitive technique for detection of coronary artery disease, 942
Beneficial effects of nifedipine on rest and exercise myocardial energetics in patients with congestive heart failure, 884
The effect of left ventricular systolic function on maximal aerobic exercise capacity in asymptomatic patients with coronary artery disease, 552
Effects of physical conditioning on left ventricular ejection fraction in patients with coronary artery disease, 69
Evidence of impaired left ventricular performance after an interrupted 24 hour run, 350
Hemodynamic effects of dynamic exercise in children and adolescents with moderate-to-small ventricular septal defects, 929
Home versus group exercise training for increasing functional capacity after myocardial infarction, 645
Reflex constriction of significant coronary stenosis as a mechanism contributing to ischemic left ventricular dysfunction during isometric exercise, 18
Safety of maximal exercise testing in patients at high risk for ventricular arrhythmia, 184
Sex-related differences in the normal cardiac response to upright exercise, 357
Usefulness of the postexercise response of systolic blood pressure in the diagnosis of coronary artery disease, 951
The value of preoperative exercise testing in predicting long-term survival in patients undergoing aortocoronary bypass surgery, I-226
- Extracorporeal oxygenation**
Extracorporeal membrane oxygenation for patients with cardiogenic shock, I-130
- F**
- False tendons**
Incidence of the coexistence of left ventricular false tendons and premature ventricular contractions in apparently healthy subjects, 793

- Fetal heart**
Quantitative assessment of right and left ventricular growth in the human fetal heart: a pathoanatomic study, 935
- Fibrin**
Effect of heparin bonding on catheter-induced fibrin formation and platelet activation, 843
- Fibrin sealing**
Evaluation of fibrin sealing for cardiovascular surgery, I-138
- Fontan procedure**
Systemic venous and pulmonary arterial flow patterns after Fontan's procedure for tricuspid atresia or single ventricle, 898
- Functional capacity**
Home versus group exercise training for increasing functional capacity after myocardial infarction, 645

G

- Gallium imaging**
Gallium-67 imaging in patients with dilated cardiomyopathy and biopsy-proven myocarditis, 58
- Genetics**
The 'new genetics' in blood and cardiovascular research: applications to prevention and treatment, III-26

H

- Hemodynamics**
Determinants of survival in patients with congestive cardiomyopathy: quantitative morphologic findings and left ventricular hemodynamics, 923
Dynamic mechanisms in human coronary stenosis, 917
Effects of a single bolus of urokinase in patients with life-threatening pulmonary emboli: a descriptive trial, 864
Hemodynamic and clinical limitations of long-term inotropic therapy with amrinone in patients with severe chronic heart failure, 1038
Hemodynamic effects of dynamic exercise in children and adolescents with moderate-to-small ventricular septal defects, 929
Improvement in indexes of diastolic performance in patients with congestive heart failure treated with milrinone, 1030
Morphologic determinants of hemodynamic state after ventricular septal myotomy-myectomy in patients with obstructive hypertrophic cardiomyopathy: M mode and two-dimensional echocardiographic assessment, 984
Right ventricular and right atrial collapse in patients with cardiac tamponade—a combined echocardiographic and hemodynamic study, 966
- Heparin**
Effect of heparin bonding on catheter-induced fibrin formation and platelet activation, 843
- His-Purkinje system**
Overdrive suppression of conduction in the canine His-Purkinje system after occlusion of the anterior septal artery, 495
- Hydralazine**
Vasodilative effect of hydralazine in awake dogs: the roles of prostaglandins and the sympathetic nervous system, 908
- Hydrocephalus**
Severe superior vena cava syndrome and hydrocephalus after the Mustard procedure: findings and a new surgical approach, I-47
- Hypercholesterolemia**
Long-term effects of ileal bypass on lipoproteins in patients with familial hypercholesterolemia, 290
- Hypercoagulability**
Thrombosis and the hypercoagulable state, III-72
- Hyperlipoproteinemia**
Normalization of plasma lipoprotein concentrations in patients with type II hyperlipoproteinemia by combined use of neomycin and niacin, 1004
- Hypertension**
The brain and hypertension: reflections on 35 years of inquiry into the neurobiology of the circulation, III-31

- Calcium-channel blockade with nifedipine and angiotensin converting-enzyme inhibition with captopril in the therapy of patients with severe primary hypertension, 279
- Combined renovascular hypertension and diabetes in rats: a new preparation of congestive cardiomyopathy, 318
- The effect of antihypertensive drug treatment on mortality in the presence of resting electrocardiographic abnormalities at baseline: the HDFP experience, 996
- The effects of familial relationships, age, body weight, and diet on blood pressure and the 24 hour urinary excretion of sodium, potassium, and creatinine in men, women, and children of randomly selected families, 76
- Postural changes in diastolic blood pressure and the risk of myocardial infarction: The Normative Aging Study, 533

Hypertrophic trabeculations

- Echocardiographic recognition and implications of ventricular hypertrophic trabeculations and aberrant bands, 836

Hypothermia

- Calcium antagonists and hypothermia: the temperature dependency of the negative inotropic and anti-ischemic properties of verapamil in the isolated rat heart, I-54
- Cerebral monitoring of somatosensory evoked potentials during profoundly hypothermic circulatory arrest, I-96

I**Impedance**

- Advance prediction of transthoracic impedance in human defibrillation and cardioversion: importance of impedance in determining the success of low-energy shocks, 303

Indomethacin

- Decreased contractility of the ductus arteriosus in experimental pulmonary stenosis, 695

Infarct size

- Failure of nifedipine and reperfusion to reduce infarct size relative to region at risk as measured by NADH fluorophotography, 506

Inotropic therapy

- Hemodynamic and clinical limitations of long-term inotropic therapy with amrinone in patients with severe chronic heart failure, 1038
- Improvement in indexes of diastolic performance in patients with congestive heart failure treated with milrinone, 1030

Insulin

- Increased risk of severe protamine reactions in NPH insulin-dependent diabetics undergoing cardiac catheterization, 788

Intact ventricular septum

- Results of the Senning operation for transposition of the great arteries with intact ventricular septum in neonates, I-21

Internal mammary graft

- Comparison of late changes in internal mammary artery and saphenous vein grafts in two consecutive series of patients 10 years after operation, I-208
- The left internal mammary artery: the graft of choice, I-213
- The role of the sequential internal mammary artery graft in coronary surgery, I-222

Interrupted arch

- The total repair of interrupted arch complex in infants: the anterior approach, I-16

Ischemia

- Ergonovine-induced myocardial ischemia: no role for serotonergic receptors? 178
- The mechanism of mannitol in reducing ischemic injury: hyperosmolality or hydroxyl scavenger? I-91
- Myocardial ischemia: reversible and irreversible changes, 149
- Transient predominant right ventricular ischemia caused by coronary vasospasm, 170

L**Left ventricular performance**

- Evidence of impaired left ventricular performance after an interrupted 24 hour run, 350

Lipoproteins

- Long-term effects of ileal bypass on lipoproteins in patients with familial hypercholesterolemia, 290
- Normalization of plasma lipoprotein concentrations in patients with type II hyperlipoproteinemia by combined use of neomycin and niacin, 1004

Long QT syndrome

- Efficacy of left cardiac sympathectomy in the treatment of patients with the long QT syndrome, 1018

M**Magnetic resonance imaging**

- Magnetic resonance imaging: evaluation of palliative systemic-pulmonary artery shunts, 650
- Magnetic resonance imaging in patients with congenital heart disease, 851

Mannitol

- The mechanism of mannitol in reducing ischemic injury: hyperosmolality or hydroxyl scavenger? I-91

Medical therapy

- Variables predictive of successful medical therapy in patients with unstable angina: selection by multivariate analysis from clinical, electrocardiographic, and angiographic evaluations, 367

Microangiopathy

- Transcutaneous oxygen tension and capillary morphologic characteristics and density in patients with chronic venous incompetence, 806

Milrinone

- Improvement in indexes of diastolic performance in patients with congestive heart failure treated with milrinone, 1030

Minoxidil

- Minoxidil in patients with chronic left heart failure: contrasting hemodynamic and clinical effects in a controlled trial, 63

Mitral valve repair

- Comparative evaluation of mitral valve repair and replacement with Starr, Björk, and porcine valve prostheses, I-187

Mitral valve replacement

- Mitral valve replacement: impact of coronary artery disease and determinants of prognosis after revascularization, I-198
- Surgery for tricuspid regurgitation late after mitral valve replacement, I-193

Mortality

- Declining cardiovascular mortality, 331
- The effect of antihypertensive drug treatment on mortality in the presence of resting electrocardiographic abnormalities at baseline: the HDFP experience, 996

Multicenter Investigation of Limitation of Infarct Size

- Comparison of enzymatic and anatomic estimates of myocardial infarct size in man, 824

Multivariate analysis

- Variables predictive of successful medical therapy in patients with unstable angina: selection by multivariate analysis from clinical, electrocardiographic, and angiographic evaluations, 367

Mustard procedure

- Severe superior vena cava syndrome and hydrocephalus after the Mustard procedure: findings and a new surgical approach, I-47

Myocardial disease

- Combined renovascular hypertension and diabetes in rats: a new preparation of congestive cardiomyopathy, 318

Myocardial dysfunction

- Reduction of posts ischemic myocardial dysfunction by substrate repletion during reperfusion, I-65

Myocardial infarction

- The abnormal exercise electrocardiogram in apparently healthy men: a predictor of angina pectoris as an initial coronary event during long-term follow-up, 547
- Comparison of enzymatic and anatomic estimates of myocardial infarct size in man, 824
- A comparison of quantitative echocardiographic methods for delineated infarct-induced abnormal wall motion, 113
- Coronary thrombolysis with recombinant human tissue-type plasminogen activator, 700

- Dynamic variability of binding of antiarrhythmic drugs during the evolution of acute myocardial infarction, 472
- Evolution of infarct size during the early use of nifedipine in patients with acute myocardial infarction: The Norwegian Nifedipine Multicenter Trial, 638
- Global and regional left ventricular function and tomographic radionuclide perfusion: the Western Washington Intracoronary Streptokinase In Myocardial Infarction Trial, 867
- Home versus group exercise training for increasing functional capacity after myocardial infarction, 645
- Identification of patients with ventricular tachycardia after myocardial infarction: signal-averaged electrocardiogram, Holter monitoring, and cardiac catheterization, 264
- Importance of temporal heterogeneity in assessing the contraction abnormalities associated with acute myocardial ischemia, 102
- Mapping of ventricular tachycardia induced by programmed stimulation in canine preparations of myocardial infarction, 136
- Noninvasive prediction of the angiographic extent of coronary artery disease after myocardial infarction: comparison of clinical, bicycle exercise electrocardiographic, and ventriculographic parameters, 192
- Postural changes in diastolic blood pressure and the risk of myocardial infarction: The Normative Aging Study, 533
- Quantitative two-dimensional echocardiographic analysis of regional wall motion in patients with perioperative myocardial infarction, 233
- A randomized trial of intravenous and intracoronary streptokinase in patients with acute myocardial infarction, 606
- The usefulness of x-ray computed tomography for the diagnosis of myocardial infarction, 217
- Myocardial protection**
- Mechanism of myocardial protection during blood and potassium cardioplegia: a comparison of crystalloid red cell and methemoglobin solutions, 1-84
- Protection of hypoxic myocardium by intracoronary administration of verapamil in open-chest dogs, 742
- Myocarditis**
- Gallium-67 imaging in patients with dilated cardiomyopathy and biopsy-proven myocarditis, 58
- Myotomy-myectomy**
- Morphologic determinants of hemodynamic state after ventricular septal myotomy-myectomy in patients with obstructive hypertrophic cardiomyopathy: M mode and two-dimensional echocardiographic assessment, 984
- N**
- NADH fluorophotography**
- Failure of nifedipine and reperfusion to reduce infarct size relative to region at risk as measured by NADH fluorophotography, 506
- National Heart, Lung, and Blood Institute**
- National Heart, Lung, and Blood Institute: new frontiers in heart, lung, and blood disease, III-1
- Neomycin**
- Normalization of plasma lipoprotein concentrations in patients with type II hyperlipoproteinemia by combined use of neomycin and niacin, 1004
- Neurobiology**
- The brain and hypertension: reflections on 35 years of inquiry into the neurobiology of the circulation, III-31
- Niacin**
- Normalization of plasma lipoprotein concentrations in patients with type II hyperlipoproteinemia by combined use of neomycin and niacin, 1004
- Nifedipine**
- Beneficial effects of nifedipine on rest and exercise myocardial energetics in patients with congestive heart failure, 884
- Calcium-channel blockade with nifedipine and angiotensin converting-enzyme inhibition with captopril in the therapy of patients with severe primary hypertension, 279
- Evolution of infarct size during the early use of nifedipine in patients with acute myocardial infarction: The Norwegian Nifedipine Multicenter Trial, 638

- Failure of nifedipine and reperfusion to reduce infarct size relative to region at risk as measured by NADH fluorophotography, 506
- Nitroprusside**
- Use of nitroprusside during surgery for thoracoabdominal aortic aneurysm, 1-7
- No-reflow phenomenon**
- The effect of streptokinase on intramyocardial hemorrhage, infarct size, and the no-reflow phenomenon during coronary reperfusion, 513
- Nuclear cardiology**
- Alteration of diastolic filling rate during exercise radionuclide angiography: a highly sensitive technique for detection of coronary artery disease, 942
- A new scintigraphic method for determining left ventricular volumes, 672
- The noninvasive localization of ventricular pacing sites by radionuclide phase imaging, 681
- Nucleotides**
- Effects of adenosine and adenine nucleotides on the atrioventricular node of isolated guinea pig hearts, 1083
- O**
- Occlusion**
- Overdrive suppression of conduction in the canine His-Purkinje system after occlusion of the anterior septal artery, 495
- Open heart surgery**
- Total bloodless open heart surgery in the pediatric age group, 1-30
- Operative mortality**
- Independent determinants of operative mortality for patients with aortic dissections, 1-153
- Overdrive suppression**
- Overdrive suppression of conduction in the canine His-Purkinje system after occlusion of the anterior septal artery, 495
- P**
- Pediatric cardiology**
- Coil embolization of congenital thoracic vascular anomalies in infants and children, 285
- Computer interpretation of pediatric orthogonal electrocardiograms: statistical and deterministic classification methods, 255
- Identification of patients with ventricular tachycardia after myocardial infarction: signal-averaged electrocardiogram, Holter monitoring, and cardiac catheterization, 264
- Percutaneous mapping**
- Catheter ablation of the atrioventricular junction: a report of the Percutaneous Mapping and Ablation Registry, 1024
- Perfusion defect**
- Quantitation of size of relative myocardial perfusion defect by single-photon emission computed tomography, 1048
- Pericardial disease**
- Right ventricular and right atrial collapse in patients with cardiac tamponade—a combined echocardiographic and hemodynamic study, 966
- Peripheral vascular disease**
- Percutaneous transluminal angioplasty of the arteries of the lower limbs: a 5 year follow-up, 619
- Transcutaneous oxygen tension and capillary morphologic characteristics and density in patients with chronic venous incompetence, 806
- Perspectives**
- Current problems and future challenges in randomized clinical trials, 767
- Declining cardiovascular mortality, 331
- Dynamic mechanisms in human coronary stenosis, 917
- Eicosanoids and the blood vessel wall, 523
- Maximal coronary flow and the concept of coronary vascular reserve, 153
- Myocardial ischemia: reversible and irreversible changes, 149

Phenylephrine

Delayed afterdepolarizations and triggered activity induced in feline Purkinje fibers by α -adrenergic stimulation in the presence of elevated calcium levels, 1074

Photon emission tomography

Quantitation of size of relative myocardial perfusion defect by single-photon emission computed tomography, 1048

Physiology

The physiology of external cardiac massage: high-impulse cardiopulmonary resuscitation, 86

Platelet activation

Effect of heparin bonding on catheter-induced fibrin formation and platelet activation, 843

Platelet aggregation

Intravenous infusion of a selective inhibitor of thromboxane A_2 synthetase in man: influence on thromboxane B_2 and 6-keto-prostaglandin $F_{1\alpha}$ levels and platelet aggregation, 599

Platelets

The role of endothelial injury and platelet and macrophage interactions in atherosclerosis, III-77

Positron emission tomography

Quantification of regional myocardial blood flow in vivo with $H_2^{15}O$, 724

Validation of quantitation of regional myocardial blood flow in vivo with ^{11}C -labeled human albumin microspheres and positron emission tomography, 717

Preexcitation

Concealed conduction in accessory atrioventricular pathways: an important determinant of the expression of arrhythmias in patients with Wolff-Parkinson-White syndrome, 402

Preexcited reciprocating tachycardia in patients with Wolff-Parkinson-White syndrome: incidence and mechanisms, 377

Pregnancy

The problem of cardiac valve prostheses, anticoagulants, and pregnancy, I-169

Precludes and Progress

Coronary arteriography—it took a long time! 781

Premature ventricular contractions

Incidence of the coexistence of left ventricular false tendons and premature ventricular contractions in apparently healthy subjects, 793

Pressure-volume relationship

Continuous measurement of left ventricular volume in animals and humans by conductance catheter, 812

Echocardiographic evaluation of the response to afterload stress test in young asymptomatic patients with chronic severe aortic regurgitation: sensitivity of the left ventricular end-systolic pressure-volume relationship, 561

The use of left ventricular end-ejection pressure and peak pressure in the estimation of the end-systolic pressure-volume relationship, 1057

Primary pulmonary hypertension

Primary pulmonary hypertension: natural history and the importance of thrombosis, 580

Prostacyclin

The effects of organic nitrates on prostacyclin biosynthesis and platelet function in humans, 297

Luminal release of prostacyclin and thromboxane A_2 by arteries distal to small-caliber prosthetic grafts, I-11

Prostaglandins

Decreased contractility of the ductus arteriosus in experimental pulmonary stenosis, 695

Prostaglandins and vascular function, III-63

Vasodilative effect of hydralazine in awake dogs: the roles of prostaglandins and the sympathetic nervous system, 908

Prosthetic grafts

Luminal release of prostacyclin and thromboxane A_2 by arteries distal to small-caliber prosthetic grafts, I-11

Protamine

Increased risk of severe protamine reactions in NPH insulin-dependent diabetics undergoing cardiac catheterization, 788

Pulmonary emboli

Effects of a single bolus of urokinase in patients with life-threatening pulmonary emboli: a descriptive trial, 864

Pulmonary endothelium

Cell biology of pulmonary endothelium, III-46

Pulmonic stenosis

Decreased contractility of the ductus arteriosus in experimental pulmonary stenosis, 695

Purkinje fibers

Delayed afterdepolarizations and triggered activity induced in feline Purkinje fibers by α -adrenergic stimulation in the presence of elevated calcium levels, 1074

R**Radioactive tracer**

Optimal resources for radioactive tracer studies of the heart and circulation, 522A

Radiology

Coronary angiographic examination with the dynamic spatial reconstructor, 209

Randomized trials

Current problems and future challenges in randomized clinical trials, 767

Reperfusion

The effect of streptokinase on intramyocardial hemorrhage, infarct size, and the no-reflow phenomenon during coronary reperfusion, 513

Failure of nifedipine and reperfusion to reduce infarct size relative to region at risk as measured by NADH fluorophotography, 506

Hydrogen peroxide contrast echocardiography: quantification in vivo of myocardial risk area during coronary occlusion and of the necrotic area remaining after myocardial reperfusion, 309

Reduction of postischemic myocardial dysfunction by substrate repletion during reperfusion, I-65

Revascularization

Mitral valve replacement: impact of coronary artery disease and determinants of prognosis after revascularization, I-198

S**Saphenous vein graft**

Comparison of late changes in internal mammary artery and saphenous vein grafts in two consecutive series of patients 10 years after operation, I-208

Scintigraphy

A new scintigraphic method for determining left ventricular volumes, 672

Senning operation

Results of the Senning operation for transposition of the great arteries with intact ventricular septum in neonates, I-21

Serotonin

Ergonovine-induced myocardial ischemia: no role for serotonergic receptors? 178

Sex differences

Sex-related differences in the normal cardiac response to upright exercise, 357

Sick sinus syndrome

New application of direct sinus node recordings in man: assessment of sinus node recovery time, 663

Sinoatrial conduction

Comparison between intracellular and extracellular direct current recordings of sinus node activity for evaluation of sinoatrial conduction time, 760

New application of direct sinus node recordings in man: assessment of sinus node recovery time, 663

Sinus node

Comparison between intracellular and extracellular direct current recordings of sinus node activity for evaluation of sinoatrial conduction time, 760

New application of direct sinus node recordings in man: assessment of sinus node recovery time, 663

Stenosis

- Dynamic mechanisms in human coronary stenosis, 917
- Reflex constriction of significant coronary stenosis as a mechanism contributing to ischemic left ventricular dysfunction during isometric exercise, 18

Streptokinase

- The effect of streptokinase on intramyocardial hemorrhage, infarct size, and the no-reflow phenomenon during coronary reperfusion, 513
- Global and regional left ventricular function and tomographic radionuclide perfusion: the Western Washington Intracoronary Streptokinase In Myocardial Infarction Trial, 867
- A randomized trial of intravenous and intracoronary streptokinase in patients with acute myocardial infarction, 606

Stroke volume

- Pulsed Doppler echocardiographic determination of stroke volume and cardiac output: clinical validation of two new methods using the apical window, 425

Subaortic conus

- The obstructive subaortic conus, 339

Substrate repletion

- Reduction of postischemic myocardial dysfunction by substrate repletion during reperfusion, I-65

Sudden death

- The abnormal exercise electrocardiogram in apparently healthy men: a predictor of angina pectoris as an initial coronary event during long-term follow-up, 547
- Long-term survival after prehospital cardiac arrest: analysis of outcome during an 8 year study, 538

Surgery

- Anatomic correction of transposition of the great arteries associated with ventricular septal defect: midterm results in 50 patients, 891
- Body surface late potentials: effects of endocardial resection in patients with ventricular tachycardia, 632
- Efficacy of left cardiac sympathectomy in the treatment of patients with the long QT syndrome, 1018
- Influence of two-stage correction on size and distensibility of the anatomic pulmonary/functional aortic root in patients with simple transposition of the great arteries, 202
- Subendocardial resection for ventricular tachycardia: predictors of surgical success, 624
- Systemic venous and pulmonary arterial flow patterns after Fontan's procedure for tricuspid atresia or single ventricle, 898

Survival

- Improved late survival in patients with chronic aortic regurgitation by earlier operation, I-147

Sympathectomy

- Efficacy of left cardiac sympathectomy in the treatment of patients with the long QT syndrome, 1018

Sympathetic nervous system

- Vasodilative effect of hydralazine in awake dogs: the roles of prostaglandins and the sympathetic nervous system, 908

T

Tachyarrhythmia

- Efficacy and safety of timolol for prevention of supraventricular tachyarrhythmias after coronary artery bypass surgery, 479

Tachycardia

- Body surface late potentials: effects of endocardial resection in patients with ventricular tachycardia, 632
- Catheter ablation of the atrioventricular junction: a report of the Percutaneous Mapping and Ablation Registry, 1024
- Embolitic potential of left ventricular thrombi detected by two-dimensional echocardiography, 588
- Identification of patients with ventricular tachycardia after myocardial infarction: signal-averaged electrocardiogram, Holter monitoring, and cardiac catheterization, 264
- Intraoperative endocardial mapping during sinus rhythm: relationship to site of origin of ventricular tachycardia, 957
- Mapping of ventricular tachycardia induced by programmed stimulation in canine preparations of myocardial infarction, 136
- Preexcited reciprocating tachycardia in patients with Wolff-Parkinson-White syndrome: incidence and mechanisms, 377

- A prospective comparison of triple extrastimuli and left ventricular stimulation in studies of ventricular tachycardia induction, 52
- Salutary effects of intravenous ajmaline in patients with paroxysmal supraventricular tachycardia mediated by dual atrioventricular nodal pathways: blockade of the retrograde fast pathway, 876
- The spontaneous occurrence of paroxysmal supraventricular tachycardia, 1

- Subendocardial resection for ventricular tachycardia: predictors of surgical success, 624
- Sustained ventricular tachycardia in patients with idiopathic dilated cardiomyopathy: electrophysiologic testing and lack of response to antiarrhythmic drug therapy, 451

Thermodilution

- A new scintigraphic method for determining left ventricular volumes, 672

Thoracoabdominal aortic aneurysm

- Use of nitropruside during surgery for thoracoabdominal aortic aneurysm, I-7

Thromboembolic disease

- Effect of heparin bonding on catheter-induced fibrin formation and platelet activation, 843
- Effects of a single bolus of urokinase in patients with life-threatening pulmonary emboli: a descriptive trial, 864
- Embolitic potential of left ventricular thrombi detected by two-dimensional echocardiography, 588
- Primary pulmonary hypertension: natural history and the importance of thrombosis, 580

Thrombolysis

- Coronary thrombolysis with recombinant human tissue-type plasminogen activator, 700
- Coronary thrombolysis with recombinant human tissue-type plasminogen activator: a prospective, randomized, placebo-controlled trial, 1012
- Effects of a single bolus of urokinase in patients with life-threatening pulmonary emboli: a descriptive trial, 864
- Global and regional left ventricular function and tomographic radionuclide perfusion: the Western Washington Intracoronary Streptokinase In Myocardial Infarction Trial, 867
- A randomized trial of intravenous and intracoronary streptokinase in patients with acute myocardial infarction, 606
- Thrombolysis, clot selectivity, and kinetics, 160

Thrombosis

- Intravenous infusion of a selective inhibitor of thromboxane A₂ synthetase in man: influence on thromboxane B₂ and 6-keto-prostaglandin F_{1α} levels and platelet aggregation, 599
- Thrombosis and the hypercoagulable state, III-72

Thromboxane A₂

- Luminal release of prostacyclin and thromboxane A₂ by arteries distal to small-caliber prosthetic grafts, I-11

Timolol

- Efficacy and safety of timolol for prevention of supraventricular tachyarrhythmias after coronary artery bypass surgery, 479

Tissue-type plasminogen activator

- Coronary thrombolysis with recombinant human tissue-type plasminogen activator, 700
- Coronary thrombolysis with recombinant human tissue-type plasminogen activator: a prospective, randomized, placebo-controlled trial, 1012

Tomography

- Coronary angiographic examination with the dynamic spatial reconstructor, 209
- The usefulness of x-ray computed tomography for the diagnosis of myocardial infarction, 217

Transplantation

- Heart transplant rejection monitored by signal-averaged electrocardiography in patients receiving cyclosporine, I-124

Transposition of the great arteries

- Anatomic correction of transposition of the great arteries associated with ventricular septal defect: midterm results in 50 patients, 891
- Influence of two-stage correction on size and distensibility of the anatomic pulmonary/functional aortic root in patients with simple transposition of the great arteries, 202
- The obstructive subaortic conus, 339
- Results of the Senning operation for transposition of the great arteries with intact ventricular septum in neonates, I-21

Tricuspid regurgitation

Noninvasive estimate of right ventricular systolic pressures by Doppler ultrasound in patients with tricuspid regurgitation, 657

Surgery for tricuspid regurgitation late after mitral valve replacement, 1-193

Triggered activity

Delayed afterdepolarizations and triggered activity induced in feline Purkinje fibers by α -adrenergic stimulation in the presence of elevated calcium levels, 1074

Truncus arteriosus

Repair of the truncus arteriosus in neonates with the use of a valveless conduit, 1-26

U

Ultrasound

A new method to calculate aortic valve area without left heart catheterization, 978

Urokinase

Effects of a single bolus of urokinase in patients with life-threatening pulmonary emboli: a descriptive trial, 864

V

Valve prosthesis

Comparative evaluation of mitral valve repair and replacement with Starr, Björk, and porcine valve prostheses, 1-187

Homograft aortic root replacement for complicated prosthetic valve endocarditis, 1-178

The problem of cardiac valve prostheses, anticoagulants, and pregnancy, 1-169

Techniques for prevention of calcification of valvular bioprostheses, 1-165

Valveless conduit

Repair of the truncus arteriosus in neonates with the use of a valveless conduit, 1-26

Valvular heart disease

Echocardiographic evaluation of the response to afterload stress test in young asymptomatic patients with chronic severe aortic regurgitation: sensitivity of the left ventricular end-systolic pressure-volume relationship, 561

A new method to calculate aortic valve area without left heart catheterization, 978

Noninvasive estimate of right ventricular systolic pressures by Doppler ultrasound in patients with tricuspid regurgitation, 657

Reversal of left ventricular dysfunction after aortic valve replacement for chronic aortic regurgitation: influence of duration of preoperative left ventricular dysfunction, 570

Vascular function

Prostaglandins and vascular function, III-63

Vascular wall

Eicosanoids and the blood vessel wall, 523

Vasodilation

Low zero-flow pressure and minimal capacitance effect on diastolic pressure-flow relationships during maximum vasodilation in swine, 485

Vasodilative effect of hydralazine in awake dogs: the roles of prostaglandins and the sympathetic nervous system, 908

Vasospasm

Increased vasoconstrictor activity of proximal coronary arteries with endothelial damage in intact dogs, 1066

Transient predominant right ventricular ischemia caused by coronary vasospasm, 170

Vena cava syndrome

Severe superior vena cava syndrome and hydrocephalus after the Mustard procedure: findings and a new surgical approach, 1-47

Venous disease

Dilation angioplasty of congenital or operative narrowings of venous channels, 457

Venous incompetence

Transcutaneous oxygen tension and capillary morphologic characteristics and density in patients with chronic venous incompetence, 806

Ventricular function

Computerized quantitative analysis of left ventricular wall motion by two-dimensional echocardiography, 242

The effect of the site of the placement of temporary epicardial pacemakers on ventricular function in cardiac surgery patients, 1-118

Ventricular growth

Quantitative assessment of right and left ventricular growth in the human fetal heart: a pathoanatomic study, 935

Ventricular mechanics

The comparative effects of dopamine and dobutamine on ventricular mechanics after coronary artery bypass grafting: a pressure-dimension analysis, 1-112

Ventricular performance

Alteration of diastolic filling rate during exercise radionuclide angiography: a highly sensitive technique for detection of coronary artery disease, 942

Continuous measurement of left ventricular volume in animals and humans by conductance catheter, 812

Echocardiographic evaluation of the response to afterload stress test in young asymptomatic patients with chronic severe aortic regurgitation: sensitivity of the left ventricular end-systolic pressure-volume relationship, 561

Global and regional left ventricular function and tomographic radionuclide perfusion: the Western Washington Intracoronary Streptokinase In Myocardial Infarction Trial, 867

Relationships between beat-to-beat interval and the strength of contraction in the healthy and diseased human heart, 799

Reversal of left ventricular dysfunction after aortic valve replacement for chronic aortic regurgitation: influence of duration of preoperative left ventricular dysfunction, 570

Right heart function during left heart assist and the effects of volume loading in a canine preparation, 708

Sex-related differences in the normal cardiac response to upright exercise, 357

The use of left ventricular end-ejection pressure and peak pressure in the estimation of the end-systolic pressure-volume relationship, 1057

Variation of left ventricular myocardial gray level on two-dimensional echocardiograms as a result of cardiac contraction, 972

Ventricular septal defect

Anatomic correction of transposition of the great arteries associated with ventricular septal defect: midterm results in 50 patients, 891

Hemodynamic effects of dynamic exercise in children and adolescents with moderate-to-small ventricular septal defects, 929

Pulsed Doppler echocardiographic evaluation of ventricular septal defect patches, 1-38

Ventricular volume

A new scintigraphic method for determining left ventricular volumes, 672

Verapamil

Calcium antagonists and hypothermia: the temperature dependency of the negative inotropic and anti-ischemic properties of verapamil in the isolated rat heart, 1-54

Preservation of high-energy phosphates by verapamil in reperfused myocardium, 734

Protection of hypoxic myocardium by intracoronary administration of verapamil in open-chest dogs, 742

Videomicroscopy

Transcutaneous oxygen tension and capillary morphologic characteristics and density in patients with chronic venous incompetence, 806

W

Washout effect

The relative importance of alkalinity, temperature, and the washout effect of bicarbonate-buffered, multidose cardioplegic solution, 1-75

Wolff-Parkinson-White syndrome

Concealed conduction in accessory atrioventricular pathways: an important determinant of the expression of arrhythmias in patients with Wolff-Parkinson-White syndrome, 402

Preexcited reciprocating tachycardia in patients with Wolff-Parkinson-White syndrome: incidence and mechanisms, 377